LED LIGHT ARS Specifications





Whyus?

Innovative Technology

High-efficiency solar and advanced LEDs deliver superior performance, long life, and maximum ROI.

Photometric

We conduct photometric measurements on all our products to ensure optimal performance and compliance with industry standards

Versatile Lightning

We designs and install solar-powered lightning systems tailored for all kind of locations such as streets, parks, pathways, homes, etc.

Global Reach

Worldwide success proves our adaptability and regulatory expertise.

Sustainable Savings

These solutions enhance safety, promote sustainability and providing significant energy and cost saving.

Warranty


SolarPath is dedicated to delivering architectural and commercial-grade solar lighting that can be customized to meet specific client requests, both in technical specifications and aesthetic design, ensuring a perfect fit for a diverse range of needs.




ARS Series



ARS area light is perfect for outdoor area lighting, providing significant energy and maintenance savings while improving illumination performance.





FEATURES & BENEFITS

- High lumen output and high mounting height solution.
- Slim & low profile design that minimizes wind load.

CERTIFICATIONS









TECHNICAL PARAMETERS

Power	20W-100W				
Input	AC 90-305V or AC 220-240V				
PF	>0.95 cos				
L85	Up to 100,000 hrs				
Operating Temperature	-31F- 122F				
Efficacy	143lm/W				
ANSI CCT	3000K/4000K/Amber				
Min CRI	70* or 80				
IP Rating	IP66				
Timing	Optional				
DALI	Optional				
1-10V	Optional				
PWM	Optional				
Optic (IESNA)	Type II, Type IV				
Color Options	Black (*Other colors up on request)				



SOLAR STREET LIGHT

USES AND APPLICATIONS GUIDE
Streets Lighting
Parking Lots
Residential Roads
Public Parks
Sports Lighting



ORDERING GUIDE

Example: ARS20W-SL4T2-30K-BK-00

MODEL				
(Nominal Power)	OPTIC	ССТ	OPTIONAL	LIGHTING
120-277VAC or 220-240VAC	LENS	(ANSI)	COLOR	CONTROL
ARS20W	SL4T2	★ 30K	★ BK	00
ARS30W	SL4T3	★ 40K	* Other colors	Not required
ARS40W	SL4T4	★ Amber	available	01
ARS50W	SH4T2	* Other colors		Motion Sensor
ARS60W	SH4T3	available		04
ARS70W				DALI
ARS80W				05
ARS90W				1-10V dimming
ARS100W				

^{*} Standard

^{*} Regularly stocked item



Contact us

+1.201.490.4499

Toll free: 1.888.333.SOLAR (7652)

contact@solarpathusa.com

www.solarpathusa.com