HIGHLIGHT BELL LIGHT Specifications





Whyus?

Innovative Technology

High-efficiency solar and advanced LEDs deliver superior performance, long life, and maximum ROI.

Photometric

We conduct photometric measurements on all our products to ensure optimal performance and compliance with industry standards

Versatile Lightning

We designs and install solar-powered lightning systems tailored for all kind of locations such as streets, parks, pathways, homes, etc.

Global Reach

Worldwide success proves our adaptability and regulatory expertise.

Sustainable Savings

These solutions enhance safety, promote sustainability and providing significant energy and cost saving.

SolarPath is dedicated to delivering architectural and commercial-grade solar lighting that can be customized to meet specific client requests, both in technical specifications and aesthetic design, ensuring a perfect fit for a diverse range of needs.

Warranty





The SolarPath HIGHLIGHT BELLTM is the premier LED solar illumination technology in its class today. Ultra-bright/High Intensity LED lighting means a total lighting solution for any need. This product has both a solar engine and a street light. The HIGHLIGHT BELL's battery and control is on the LED head which allows this product to be used for parks, roads, path. Once the product is installed, it can be controlled via a remote control.



HIGHLIGHT BELL LIGHT

Technical specification									
Solar Module	Туре	High-efficiency Monocrystalline Silicon							
Parameters	Power	600W							
Solar Charge Controller	MPPT (Maximum Power Point Tracking), infrared solar charging controller								
Battery	LifePO	Up to 180AH							
LED Light Parameters	Light Source Power	Up to 100W (Up to 14,837 lm)							
	CCT (Correlated color temperature)	3,000K-5,700K							
	CRI (Color rendering index)	<u>>81</u>							
Control Modes	Manual ON/OFF / Automatically ON/OFF / Time Control								
Working Mode	Depend on installation area/radiation								
IP Rating	IP67								
Motion Sensor	PIR/ Microwave Optional								
Material	Aluminum housing for efficient heat dissipation								
Product Size	Light Body	Depend On LED power							
	Solar Panel	Depend On Solar Panel wattage							
Net Weight	Light Body	Depend On LED power							
	Solar Panel	Depend On Solar Panel wattage							



SOLAR STREET LIGHT

USES AND APPLICATIONS GUIDE						
Streets Lighting	V					
Parking Lots	V					
Residential Roads	V					
Public Parks	V					
Sports Lighting	V					



ORDERING GUIDE

Ordering Guide: EXAMPLE: HIGHLIGHT-BELL-A-50W-20W-2-30K-A-50AH-1-GR-00

Model	Solar Panel Quantity	Solar Panel	LED Power	Distribution type	LED Color Temp	Battery qty.	Battery Options	Arm	Body Color	Options
HIGHLIGHT BELL	A- 1 Panel B- 2 Panels C- 3 Panels D- 4 Panels	50W 65W 85W 100W 125W 135W 180W 200W	20W 30W 40W 60W 80W 100W	2- Type II 5- Type V	30K 40K 50K 57K	A- 1 B- 2 C- 3 D- 4	50AH 75AH 80AH 100AH 150AH 180AH	1 – Single 2 - Double	GR – Grey BLK- Black BZ- Bronze WH- White Custom	1 not required 2 motion sensor 3 AC- Hybrid

Legal Clarification: All technical information and/or products listings and/or technical support, and/or any kind of graphics, illustrations and/or instructions and/or the names, trade names, trade marks, trade symbols, service marks, logos, icons and trade dress of SolarPath Inc or in connection to SolarPath Inc or any of its selling products, con- tainted herein is in the exclusive ownership of SolarPath Inc and may not be alternated and/or used in any manner including but not limited to copy of some or all of the said material by users and/or viewers or any third party for that matter of this document and the website to which it is linked without the express prior written permission of SolarPath Inc. Furthermore, redistribution or any kind of commercial use or alternation or any kind of use other then downloading presented information in some or all contents of downloadable documents, and/or downloadable contents, is strictly prohibited without express written prior permission. All information set out herein is subject to changes as may occur from time to time. SolarPath Inc is not responsible for, and cannot guarantee and shall not be held liable for any information or the accuracy of such in websites that it does not manage



Contact us

+1.201.490.4499

Toll free: 1.888.333.SOLAR (7652)

contact@solarpathusa.com

www.solarpathusa.com