HIGHLIGHT SP-PSGL Specifications





Whyus?

Innovative Technology

High-efficiency solar and advanced LEDs deliver superior performance, long life, and maximum ROI.

Photometric

We conduct photometric measurements on all our products to ensure optimal performance and compliance with industry standards

Versatile Lightning

We designs and install solar-powered lightning systems tailored for all kind of locations such as streets, parks, pathways, homes, etc.

Global Reach

Worldwide success proves our adaptability and regulatory expertise.

Sustainable Savings

These solutions enhance safety, promote sustainability and providing significant energy and cost saving.

SolarPath is dedicated to delivering architectural and commercial-grade solar lighting that can be customized to meet specific client requests, both in technical specifications and aesthetic design, ensuring a perfect fit for a diverse range of needs.

Warranty





The SolarPath HIGHLIGHT SP-PSGL is the premier LED solar illumination technology in its class today. Ultra-bright/High Intensity LED lighting means a total lighting solution for any need. The solar panel is wrapped and can be installed on a new or an existing pole. It is new technology. This product has both a solar engine and a LED light. The battery and controller are inside pole which allow this product to be used for, roads, parking lot, pathway, etc. The lighting fixture can be used up to 60W and can be controlled via remote control.





Technical specification									
Solar Module	Туре	Monocrystalline silicon							
Parameters	Power	Up to 360W(4x45W Solar panel on top of the light)							
Solar Charge Controller	MPPT (Maximum Power Point Tracking), infrared solar charging controller								
Battery	LifePO	Up to 72AH							
	Light Source Power	60W (Up to 10,800 lm)							
LED Light Parameters	CCT (Correlated color temperature)	3,000K-6,000K							
	Distribution Type	Type II, III							
Control Modes	Manual ON/OFF / Automatically ON/OFF / Time Control								
Operation profile	Depend on installation area, can be programed with remote control								
IP/IK Rating	IP66/IK10								
Operation Temperature	-4°F~131°F								
Pole Height	Up to 19FT								



SOLAR STREET LIGHT

USES AND APPLICATIONS GUIDE						
Streets Lighting	V					
Parking Lots	V					
Residential Roads	V					
Public Parks	V					
Walking/bike path	V					



ORDERING GUIDE

Ordering Guide: EXAMPLE: SPSTLH-A-60W-30W-3-30K-30AH-GR-16FT-1-00

Model	Solar Panel	Solar Panel	Led Power	Distribution	Led Color	Battery	LED Body	Pole Height	Arm	Option
	Qty.			Type	Temp	capacity	Color			
HIGHLIGHT	A – 1 panel	180W	10W	2 – Type II	30K	30AH	GR- Grey	16FT	1 – Single arm	00- Without motion sensor
SP-PSGL	B – 2 panels		20W	3 – Type III	40K	60AH		20FT	2 – Dual arm	01- With motion sensor
	C – 3 panels		30W		50K	100AH		25FT		
			40W		57K	120AH		30FT		
			50W			150AH				
			60W							



*Up on request

Legal Clarification: All technical information and/or products listings and/or technical support, and/or any kind of graphics, illustrations and/or instructions and/or the names, trade names, trade marks, trade symbols, service marks, logos, icons and trade dress of SolarPath Inc or in connection to SolarPath Inc or any of its selling products, con- tainted herein is in the exclusive ownership of SolarPath Inc and may not be alternated and/or used in any manner including but not limited to copy of some or all of the said material by users and/or viewers or any third party for that matter of this document and the website to which it is linked without the express prior written permission of SolarPath Inc. Furthermore, redistribution or any kind of commercial use or alternation or any kind of use other then downloading presented information in some or all contents of downloadable documents, and/or downloadable contents, is strictly prohibited without express written prior permission. All information set out herein is subject to changes as may occur from time to time. SolarPath Inc is not responsible for, and cannot guarantee and shall not be held liable for any information or the accuracy of such in websites that it does not manage



Contact us

+1.201.490.4499

Toll free: 1.888.333.SOLAR (7652)

contact@solarpathusa.com

www.solarpathusa.com