HIGHLIGHT SP-SHBX Specifications





Whyus?

Innovative Technology

High-efficiency solar and advanced LEDs deliver superior performance, long life, and maximum ROI.

Photometric

We conduct photometric measurements on all our products to ensure optimal performance and compliance with industry standards

Versatile Lightning

We designs and install solar-powered lightning systems tailored for all kind of locations such as streets, parks, pathways, homes, etc.

Global Reach

Worldwide success proves our adaptability and regulatory expertise.

Sustainable Savings

These solutions enhance safety, promote sustainability and providing significant energy and cost saving.

SolarPath is dedicated to delivering architectural and commercial-grade solar lighting that can be customized to meet specific client requests, both in technical specifications and aesthetic design, ensuring a perfect fit for a diverse range of needs.

Warranty





The SolarPath HIGHLIGHT SP-SHBXTM is the premier LED solar illumination technology in its class today. Ultra-bright/High Intensity LED lighting means a total lighting solution for any need. The solar panel built in the light and can be installed on a new or an existing pole. It is new technology. This product has both a solar engine and a LED light. The battery and controller are inside pole which allow this product to be used for, roads, parking lot, pathway, etc.




HIGHLIGHT SP-SHBX

Technical specification

Solar Module	Туре	High-efficiency Monocrystalline Silicon			
Parameters	Power	30W			
Solar Charge Controller	MPPT (Maximum Power Point Tracking), infrared solar charging controller				
Battery	LifePO4	20AH			
LED Light Parameters	Light Source Power	20W (Up to 5,000 lm)			
	CCT (Correlated color temperature)	3,000K/5,700K			
	CRI (Color rendering index)	<u>>70</u>			
Control Modes	Manual ON/OFF / Automatically ON/OFF / Time Control				
Working Mode	Depend on solar radiation.				
	5hrs-100% output; 20% (PIR) till dawn				
IP Rating/Anti-	IP66/C4H				
Corrosion					
Material	Aluminum Die-casting				



Key Features







Switch/PIR motion sensor/Indicator light







Bluetooth antenna and Adjustable bracket

Install Options



- Can be installed on existing pole.
- · Low installation and maintenance costs.
- IP66 Rating.
- · C4H Marine corrosion resistance
- Adjustable brackets
- Bluetooth antenna
- · Good appearance, small size and lightweight, easy to install
- · Battery, solar controller are built inside of light.
- Solar powered outdoor lighting
- · High performance up to 250lm/W.





USES AND APPLICATIONS GUIDE				
Streets Lighting				
Parking Lots				
Residential Roads				
Public Parks				
Sports Lighting				



ORDERING GUIDE

Ordering Guide: HIGHLIGHT SP-SHBX-30W-20W-2-30K-20AH-TP

Model	Solar Panel	LED Power	Distribution type	Led color Temp	Battery Options	Mounting Options
HIGHLIGHT SP-SHBX	30W	20W	2- Type II	30K 57K	20AH	TP- On top of a pole SF- Slip fitter WM- Wall mount

Legal Clarification: All technical information and/or products listings and/or technical support, and/or any kind of graphics, illustrations and/or instructions and/or the names, trade names, trade marks, trade symbols, service marks, logos, icons and trade dress of SolarPath Inc or in connection to SolarPath Inc or any of its selling products, con- tainted herein is in the exclusive ownership of SolarPath Inc and may not be alternated and/or used in any manner including but not limited to copy of some or all of the said material by users and/or viewers or any third party for that matter of this document and the website to which it is linked without the express prior written permission of SolarPath Inc. Furthermore, redistribution or any kind of commercial use or alternation or any kind of use other then downloading presented information in some or all contents of downloadable documents, and/or downloadable contents, is strictly prohibited without express written prior permission. All information set out herein is subject to changes as may occur from time to time. SolarPath Inc is not responsible for, and cannot guarantee and shall not be held liable for any information or the accuracy of such in websites that it does not manage



Contact us

+1.201.490.4499

Toll free: 1.888.333.SOLAR (7652)

contact@solarpathusa.com

www.solarpathusa.com