

HIGHLIGHT SPSSB-SUN

Specifications



Why us?

Innovative Technology

High-efficiency solar and advanced LEDs deliver superior performance, long life, and maximum ROI.

Photometric

We conduct photometric measurements on all our products to ensure optimal performance and compliance with industry standards

Versatile Lightning

We designs and install solar-powered lightning systems tailored for all kind of locations such as streets, parks, pathways, homes, etc.

Global Reach

Worldwide success proves our adaptability and regulatory expertise.

Sustainable Savings

These solutions enhance safety, promote sustainability and providing significant energy and cost saving.

Warranty

SolarPath is dedicated to delivering architectural and commercial-grade solar lighting that can be customized to meet specific client requests, both in technical specifications and aesthetic design, ensuring a perfect fit for a diverse range of needs.



The SolarPath HIGHLIGHT SPSSB-SUN™ is the most advanced and sophisticated solar light pole available on the market. The solar light pole is completely off-grid and works autonomously, using sustainable solar power. This means there is no need for expensive cabling and invasive trenching, which results in fast installation, easy operation and a low total cost of ownership. The curved vertically integrated solar panels are wind-resistant and self-cleaning, as dirt and dust cannot stick on the design. Solar energy generated during the day is stored in high-quality lithium batteries, which are long-lasting and require minimum maintenance. The highly-efficient LED-luminaire provides powerful lighting at night.

Technical specification

Solar Module Parameters	Type	Monocrystalline silicon
	Power	Up to 1,120W(4x280W each)
Solar Charge Controller	MPPT (Maximum Power Point Tracking), infrared solar charging controller	
Battery	LifePO	Up to 100AH
LED Light Parameters	Light Source Power	150W (Up to 21,000 lm)
	CCT (Correlated color temperature)	3,000K-5,700K
	Distribution Type	Type I, II, III, IV, V
Control Modes	Manual ON/OFF / Automatically ON/OFF / Time Control	
Operation profile	Programmable, Dusk to dawn (Depend on solar radiation)	
IP Rating	IP65	
Operation Temperature	-4°F~131°F	
Pole Height	Up to 30FT	



SOLAR STREET LIGHT

USES AND APPLICATIONS GUIDE	
Streets Lighting	V
Parking Lots	V
Residential Roads	V
Public Parks	V
Sports Lighting	V

ORDERING GUIDE

Ordering Guide: EXAMPLE: HIGHLIGHT SPSSB-SUN-A-60W-SPSUN-F-30W-1-30K—30AH-GR-00

Model	Solar Panel qty.	Solar Panel	LED Head	LED Power	Distribution Type	LED Color Temp.	Battery Capacity	LED Body Color	Options
HIGHLIGHT SPSSB-SUN	A – 1 panel	60W	SPSUN-F	30W	1 – Type I	30K	30AH	GR- Grey	00 – No motion sensor 01 – With motion sensor
	B – 2 panels	80W		40W	2 – Type II	40K	40AH	BRZ- Bronze	
	C – 3 panels	100W		60W	3 – Type III	50K	60AH	*other colors	
	D – 4 panels	120W		80W	4 – Type IV	57K	80AH	are available	
		200W		90W	5 – Type V		100AH		
		240W		120W					
		280W		150W					

Legal Clarification: All technical information and/or products listings and/or technical support, and/or any kind of graphics, illustrations and/or instructions and/or the names, trade names, trademarks, trade symbols, service marks, logos, icons and trade dress of SolarPath Inc or in connection to SolarPath Inc or any of its selling products, contained herein is in the exclusive ownership of SolarPath Inc and may not be alternated and/or used in any manner including but not limited to copy of some or all of the said material by users and/or viewers or any third party for that matter of this document and the website to which it is linked without the express prior written permission of SolarPath Inc. Furthermore, redistribution or any kind of commercial use or alternation or any kind of use other than downloading presented information in some or all contents of downloadable documents, and/or downloadable contents, is strictly prohibited without express written prior permission. All information set out herein is subject to changes as may occur from time to time. SolarPath Inc is not responsible for, and cannot guarantee and shall not be held liable for any information or the accuracy of such in websites that it does not manage



Contact us



+1.201.490.4499

Toll free: 1.888.333.SOLAR (7652)



contact@solarpathusa.com



www.solarpathusa.com