

# HIGHLIGHT SPSSB Specifications



## Why us?

### **Innovative Technology**

High-efficiency solar and advanced LEDs deliver superior performance, long life, and maximum ROI.

### **Photometric**

We conduct photometric measurements on all our products to ensure optimal performance and compliance with industry standards

### **Versatile Lightning**

We designs and install solar-powered lightning systems tailored for all kind of locations such as streets, parks, pathways, homes, etc.

### **Global Reach**

Worldwide success proves our adaptability and regulatory expertise.

### **Sustainable Savings**

These solutions enhance safety, promote sustainability and providing significant energy and cost saving.

### **Warranty**


SolarPath is dedicated to delivering architectural and commercial-grade solar lighting that can be customized to meet specific client requests, both in technical specifications and aesthetic design, ensuring a perfect fit for a diverse range of needs.



The SolarPath HIGHLIGHT SPSSB™ is the most advanced and sophisticated solar light pole available on the market. The solar light pole is completely off-grid and works autonomously, using sustainable solar power. This means there is no need for expensive cabling and invasive trenching, which results in fast installation, easy operation and a low total cost of ownership. The curved vertically integrated solar panels are wind-resistant and self-cleaning, as dirt and dust cannot stick on the design. Solar energy generated during the day is stored in high-quality lithium batteries, which are long-lasting and require minimum maintenance. The highly-efficient LED-luminaire provides powerful lighting at night.

## Technical specification

|                                |                                                                         |                           |
|--------------------------------|-------------------------------------------------------------------------|---------------------------|
| <b>Solar Module Parameters</b> | Type                                                                    | Monocrystalline silicon   |
|                                | Power                                                                   | Up to 1,120W(4x280W each) |
| <b>Solar Charge Controller</b> | MPPT (Maximum Power Point Tracking), infrared solar charging controller |                           |
| <b>Battery</b>                 | LifePO                                                                  | Up to 100AH               |
| <b>LED Light Parameters</b>    | Light Source Power                                                      | 150W (Up to 21,000 lm)    |
|                                | CCT (Correlated color temperature)                                      | 3,000K-5,700K             |
|                                | Distribution Type                                                       | Type I, II, III, IV, V    |
| <b>Control Modes</b>           | Manual ON/OFF / Automatically ON/OFF / Time Control                     |                           |
| <b>Operation profile</b>       | Programmable, Dusk to dawn (Depend on solar radiation)                  |                           |
| <b>IP Rating</b>               | IP65                                                                    |                           |
| <b>Operation Temperature</b>   | -4°F~131°F                                                              |                           |
| <b>Pole Height</b>             | Up to 30FT                                                              |                           |



## SOLAR STREET LIGHT

| USES AND APPLICATIONS GUIDE |   |
|-----------------------------|---|
| Streets Lighting            | V |
| Parking Lots                | V |
| Residential Roads           | V |
| Public Parks                | V |
| Walking/bike path           | V |

## ORDERING GUIDE

Ordering Guide: EXAMPLE: SPSSB-A-60W-FLA-30W-1-30K-30AH-GR-00

| Model | Solar Panel Qty. | Solar Panel | LED Head | Led Power | Distribution Type | Led Color Temp | Battery capacity | Body Color  | Option                    |
|-------|------------------|-------------|----------|-----------|-------------------|----------------|------------------|-------------|---------------------------|
| SPSSB | A – 1 panel      | 60W         | FLA      | 30W       | 1 – Type I        | 30K            | 30AH             | GR- Grey    | 00- Without motion sensor |
|       | B – 2 panels     | 80W         | FLB      | 40W       | 2 – Type II       | 40K            | 40AH             | BRZ- Bronze | 01- With motion sensor    |
|       | C – 3 panels     | 100W        |          | 60W       | 3 – Type III      | 50K            | 60AH             |             |                           |
|       | D – 4 panels     | 120W        |          | 80W       | 4 – Type IV       | 57K            | 80AH             |             |                           |
|       | E – 5 panels     | 200W        |          | 90W       | 5 – Type V        |                | 100AH            |             |                           |
|       |                  | 240W        |          | 120W      |                   |                |                  |             |                           |
|       |                  | 280W        |          | 150W      |                   |                |                  |             |                           |
|       |                  |             |          |           |                   |                |                  |             |                           |



\*Up on request

Legal Clarification: All technical information and/or products listings and/or technical support, and/or any kind of graphics, illustrations and/or instructions and/or the names, trade names, trademarks, trade symbols, service marks, logos, icons and trade dress of SolarPath Inc or in connection to SolarPath Inc or any of its selling products, contained herein is in the exclusive ownership of SolarPath Inc and may not be alternated and/or used in any manner including but not limited to copy of some or all of the said material by users and/or viewers or any third party for that matter of this document and the website to which it is linked without the express prior written permission of SolarPath Inc. Furthermore, redistribution or any kind of commercial use or alternation or any kind of use other than downloading presented information in some or all contents of downloadable documents, and/or downloadable contents, is strictly prohibited without express written prior permission. All information set out herein is subject to changes as may occur from time to time. SolarPath Inc is not responsible for, and cannot guarantee and shall not be held liable for any information or the accuracy of such in websites that it does not manage



## Contact us



+1.201.490.4499

Toll free: 1.888.333.SOLAR (7652)



[contact@solarpathusa.com](mailto:contact@solarpathusa.com)



[www.solarpathusa.com](http://www.solarpathusa.com)