HIGHLIGHT SPFS Specifications





Whyus?

Innovative Technology

High-efficiency solar and advanced LEDs deliver superior performance, long life, and maximum ROI.

Photometric

We conduct photometric measurements on all our products to ensure optimal performance and compliance with industry standards

Versatile Lightning

We designs and install solar-powered lightning systems tailored for all kind of locations such as streets, parks, pathways, homes, etc.

Global Reach

Worldwide success proves our adaptability and regulatory expertise.

Sustainable Savings

These solutions enhance safety, promote sustainability and providing significant energy and cost saving.

SolarPath is dedicated to delivering architectural and commercial-grade solar lighting that can be customized to meet specific client requests, both in technical specifications and aesthetic design, ensuring a perfect fit for a diverse range of needs.

Warranty







SPFS Series Smart All In One Solar Street Light through innovative design, the real realization of the integrated solar street light definition. Solar Paths's well-built, modern high-end, compact all feature flagship product.

All In One(integration) design solar light put all core parts and smart motion sensor in one kit, to be used for parks, streets, parking lot.





Optional

Technical	specification
	20000000000

Technical specification								
Solar Module	Туре	High-efficiency Monocrystalline Silicon						
Parameters	Power	250W						
Solar Charge Controller	MPPT (Maximum Power Point Tracking), infrared solar charging controller							
Battery	LifePO	Up to 36AH						
LED Light Parameters	Light Source Power	Up to 120W (Up to 21,600 lm)						
	CCT (Correlated color temperature)	3,000K-6,000K						
	CRI (Color rendering index)	<u>>75</u>						
Control Modes	Manual ON/OFF / Automatically ON/OFF / Time Control							
	 100%-6hrs, 50%-6hrs. 50%-1hr, 100%-4hrs, 50%-3hr, 25%-4hrs. 100%-2hrs, 70%-2hrs, 20%-8hrs. Always 30% dim, motion sensor trigger jump to 100% for 2 minutes. 100%-2hrs, 70%-2hrs, 50%-2hrs, then 20% dim, when motion sensor trigger the light jump to 50% for 2 minutes. * Operation profile above are active depending to the solar radiation in the installation location, please consult with one of Solarpath representative. 							
IP Rating	IP66							
Motion Sensor	PIR/ Microwave Optional							
Material	Aluminum Die-casting							
Extended Application	Wireless Remote controller							

GPRS Integrated Management System(Remote control and monitoring)



SOLAR STREET LIGHT

USES AND APPLICATIONS GUIDE					
Streets Lighting	V				
Parking Lots	V				
Residential Roads	V				
Public Parks	V				
Sports Lighting	V				



ORDERING GUIDE

Ordering Guide: HIGHLIGHT SPFS-50W-15W-2-35K-21AH-WH-00

Model	Solar Panel	Led Power	Distribution	Led Color Temp	Battery options	Body Color	Options
			Type				
SPFS	50W	15W	2 – Type II	35K	21AH	WH – White	00 – No motion sensor
	60W	20W		40K	24АН	*SI – Silver	01- Motion Sensor
	70W	30W		50K	27AH	*BK - Black	
	80W	40W		60K	30AH	*Min 20 pcs	
	100W	50W			36AH		
	120W	60W					
	160W	80W					
	200W	100W					
	250W	120W					



Legal Clarification: All technical information and/or products listings and/or technical support, and/or any kind of graphics, illustrations and/or instructions and/or the names, trade names, trade marks, trade symbols, service marks, logos, icons and trade dress of SolarPath Inc or in connection to SolarPath Inc or any of its selling products, con- tainted herein is in the exclusive ownership of SolarPath Inc and may not be alternated and/or used in any manner including but not limited to copy of some or all of the said material by users and/or viewers or any third party for that matter of this document and the website to which it is linked without the express prior written permission of SolarPath Inc. Furthermore, redistribution or any kind of commercial use or alternation or any kind of use other then downloading presented information in some or all contents of downloadable documents, and/or downloadable contents, is strictly prohibited

for, and cannot guarantee and shall not be held liable for any information or the accuracy of such in websites that it does not manage

without express written prior permission. All information set out herein is subject to changes as may occur from time to time. SolarPath Inc is not responsible



Contact us

+1.201.490.4499

Toll free: 1.888.333.SOLAR (7652)

contact@solarpathusa.com

www.solarpathusa.com